EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12 5	20	(US-20010052006-$ or US-20020052941-$ or US-20010047406-$ or US-20020057684-$ or US-20020031142-$ or US-20030074580-$ or US-20020107961-$).did. or (US-6871221-$ or US-6728748-$ or US-6445682-$ or US-6839747-$ or US-6549943-$ or US-5752003-$ or US-6085238-$ or US-7055171-$ or US-4835673-$ or US-6615258-$ or US-7155518-$ or US-6874090-$ or US-6732172-$).did.	US-PGPUB; USPAT	OR	ON	2007/09/28 08:36
S12 6	0	(service near (operator or administrator)) same (GUI or interface) same ((allocat$3 or assign$3 or allot$4) with (computer$1 or resource$1)) same client$1 same (VLAN or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 08:44
S12 7	6	(operator or administrator) same (GUI or interface) same ((allocat$3 or assign$3 or allot$4) with (computer$1 or resource$1)) same client$1 same (VLAN or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 08:45
S12 8	0	S127 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:02
S12 9	96	(operator or administrator) same (GUI or interface) same ((allocat$3 or assign$3 or allot$4) with (computer$1 or resource$1)) same client$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 08:45
S13 0	31	S129 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 08:49
S13 1	145	(gui or interface) same (resource$1 with allocat$3) same (lan or VLAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 08:49

S13 2	70	S131 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:00
S13 3	131	(gui or interface) with (construct$3 or build$3 or form$4 or creat$3) with (VLAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:45
S13 4	41	S133 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:04
S13 5	2805	(709/226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:03
S13 6	1	S134 and S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:03
S13 7	1448	S135 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:00
S13 8	244	S137 and ((lan or vlan) same (gui or interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:05
S13 9	16	S137 and ((lan or vlan) same (gui or interface) same (administrator or operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:15
S14 0	1847	(715/714,733-739).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:21
S14 1	16	S135 and S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:44

S14 2	10	S141 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:44
S14 3	16011	(709/223-226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 09:43
S14 4	288	S143 and S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:48
S14 5	43	"l229" and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:44
S14 6	145	S144 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:48
S14 7	145	S146 not ll27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:44
S14 8	0	((gui or interface) with (construct$3 or build$3 or form$4 or creat$3 or configur$5) with (VLAN)) and S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:46
S14 9	3	((gui or interface) with (construct$3 or build$3 or form$4 or creat$3 or configur$5) with (VLAN or lan)) and S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:47
S15 0	3029	(allocat$3 or assign$3) with computer$1 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:47
S15 1	1152	S150 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:48

S15 2	5	S151 and S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 09:48
S15 3	1112	S137 and (gui or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:01
S15 4	0	S153 and ((allocat$3 or assign$3) with (computer$1) with to with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:03
S15 5	61	S153 and ((allocat$3 or assign$3) with (computer$1) with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:42
S15 6	2	"20020059427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:05
S15 7	3	("2002/0059427").URPN.	USPAT	OR	ON	2007/09/28 10:08
S15 8	103	"5819042"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:43
S15 9	2	"20020158900"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 10:43
S16 0	762	(715/734,738).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 15:44
S16 1	270	(715/734).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 15:44

S16 2	106	S161 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 15:49
S16 3	519	Gui and isp and topology and (lan or vlan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 15:47
S16 4	4	Gui and isp and topology and (lan or vlan) and ll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 15:48
S16 5	38	((construct$3 or creat$3 or form$4) with topology) and S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 16:03
S16 6	11	S165 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 16:04
S16 7	11	(US-20020169876-$ or US-20020049803-$ or US-20020059427-$).did. or (US-5307456-$ or US-6546424-$ or US-6584504-$ or US-6883142-$ or US-6985955-$ or US-7092988-$ or US-6834301-$ or US-5341477-$). did.	US-PGPUB; USPAT	OR	ON	2007/10/19 15:53
S16 8	31572	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/19 16:03
S16 9	200	((construct$3 or creat$3 or form$4) with topology) and S168	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 17:03
S17 0	100	S169 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 17:05

EAST Search History

S17 1	34	((client$1 or user$1) and (isp or provider or server) and (lan or vlan)) and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 16:05
S17 2	550	((construct$3 or creat$3 or form$4) with topology) and ((client$1 or user$1) and (isp or provider or server)) and (lan or vlan) and Gui	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 17:03
S17 3	151	S172 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 17:04
S17 4	0	Gui with ((construct$3 or creat$3 or form$4) with topology with vlan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 17:05
S17 5	4	Gui with ((construct$3 or creat$3 or form$4) with vlan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 17:05
S17 6	0	S175 and @ad < "20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 17:05